

## • Services •



Firmware & Hardware  
Development



Structure & Industrial  
Design



APP Support



Cloud Service



SDK



Depth  
Customization

## • Profile •

Feasycom focuses on the research and development of IoT products and services. We have rich solution categories covering technologies like Bluetooth, Wi-Fi, RFID, 4G, Matter, UWB, etc. and products like modules, beacons, gateways, adapters, etc. In addition, we can provide one-stop solution customization and technical support services based on customer requirements, including hardware, firmware, APP, cloud, etc.

Make communication easy and free. It is this belief that leads Feasycom continue to explore, innovate and strive to provide users with an easy and free communication way.

### Shenzhen Feasycom Co., Ltd


Web: [www.feasycom.com](http://www.feasycom.com)

E-mail: [support@feasycom.com](mailto:support@feasycom.com)

Add: Rm 511/508/408, Building A, Fenghuang Zhigu, Tiezai Rd,  
Xixiang, Baoan Dist., Shenzhen, 518102, China



# FEASYBEACON




Make Communication Easy and Free

## • Gateway •

### Mutiple Connection Gateway




FSC-WP1431



FSC-BP209

### Long Range Gateway



## • Beacon •

### Ultra-thin beacon



FSC-BP106

- Chipset: Dialog DA14531
- Version: Bluetooth 5.1
- Size: 36\* 23.2 \* 3.6 mm
- Power Supply: CR2025
- Battery Life: 2 years@1300ms, 0dBm
- Broadcast Range: Up to 200m (+2.5 dBm)
- Waterproof: IP67
- Beacon Protocol: iBeacon, Eddystone, AoA

### Ultra-thin beacon

- Chipset: Dialog DA14531
- Version: Bluetooth 5.1
- Size: 33.8 \*35.8 \*7.8 mm
- Power Supply: CR2032
- Battery Life: 3 years@1300ms, 0dBm
- Broadcast Range: Up to 450m (+2.5 dBm)
- Waterproof: IP66
- Beacon Protocol: iBeacon, Eddystone, AoA



FSC-BP103C

### Long Battery Life Beacon



FSC-BP104D

- Chipset: Dialog DA14531
- Version: Bluetooth 5.1
- Size: 86 \* 65.7 \* 17.2 mm
- Power Supply: AAA battery\*2(exclude battery)
- Battery Life: 10 years@1300ms, 0dBm
- Broadcast Range: Up to 400m (+2.5 dBm)
- Waterproof: IP67
- Beacon Protocol: iBeacon, Eddystone, AoA

## • Beacon •



### FSC-BP108B

#### Waterproof Beacon

- Chipset: Dialog DA14531
- Version: Bluetooth 5.1
- Size: 37 \* 48 \* 7.8 mm
- Power Supply: CR3032
- Battery Life: 6 years@1300ms, 0dBm
- Broadcast Range: Up to 400m (+2.5 dBm)
- Waterproof: IP67
- Beacon Protocol: iBeacon, Eddystone, AoA

## • Beacon •



### FSC-BP101E

#### USB Beacon

- Chipset : FSC1011
- Version : Bluetooth 5.2
- Size : 32.8 \* 16.2 \* 8 mm
- Power Supply : 5V USB
- Broadcast Range: Up to 80m
- Beacon Protocol: iBeacon, Eddystone, AoA

## NFC Card Beacon

- Chipset: Dialog DA14531
- Version: Bluetooth 5.1
- Size: 85.5 \* 54 \* 4.2 mm
- Power Supply: Li-MnO2 battery
- Battery Life: 6 years@1300ms, 0dBm
- Broadcast Range: Up to 200m (+2.5 dBm)
- Waterproof: IP66
- Beacon Protocol: iBeacon, Eddystone, AoA



### FSC-BP105N

## Temperature and Humidity Sensor Beacon

- Chipset: Dialog DA14531
- Version: Bluetooth 5.1
- Size: Φ38mm, H:9.3mm
- Power Supply: CR3032
- Battery Life: 280 days@1300ms, 0dBm
- Broadcast Range: Up to 400m (+2.5 dBm)
- Waterproof: IP66
- Beacon Protocol: iBeacon, Eddystone, AoA



### FSC-BP121

## Bracelet Beacon



### FSC-BP107D

- Chipset : DA14531
- Version : Bluetooth 5.1
- Size: 44.5 \* 39.5 \* 9.8 mm
- Power Supply : CR3032
- Battery Life: 6 years@1300ms, 0dBm
- Broadcast Range: Up to 200m (+2.5 dBm)
- Waterproof: IP67
- Beacon Protocol: iBeacon, Eddystone, AoA