

『はじめての薬学英语』第8～11刷 正誤表

この度は、標記書籍をお買い求めいただき誠にありがとうございました。

標記書籍内に、下記の通り誤りがありました。訂正し、深くお詫び申し上げます。

【第8刷の誤り】(第9刷以降は修正済み)

ページ数	位置	誤	正
3	ページ内右下	NHS North Somerset, Top tips for kid! / Healthy Eating より	2021年6月現在、NHSのLibraryからPDFをダウンロードできます。 https://www.lnds.nhs.uk/Library/change4life/topstipsforkidsdh_093121.pdf
6	Understanding the material 内	6. Cut down on snack foods as ～	(削除)
6	Understanding the material 内	7. Get them to drink a portion. ～	6. Get them to drink a portion. ～ (問題番号の繰り下げ)
6	Understanding the material 内	8. Literally cut the fat. ～	7. Literally cut the fat. ～ (問題番号の繰り下げ)
6	Understanding the material 内	(なし)	8. Frozen and canned fruit and vegetables count too. It's quick and cheap to boil some frozen peas or open a can of sweetcorn. (問題を新設)
17	下から8行目	(http://www.nabp.net/)	(https://nabp.pharmacy)
17	下から1～2行目	Royal Pharmaceutical Society / What do pharmacists do? (http://www.rpharms.com/ipharmacist/what-do-pharmacists-do-.asp)	Royal Pharmaceutical Society / Careers information (https://www.rpharms.com/pharmacycareers)
23	Understanding the material 内	E. Taking coenzyme Q-10 by itself or along with other medications for treating high blood pressure <u>seems to help lower blood pressure even more.</u>	E. Taking coenzyme Q-10 also <u>appears to reduce</u> migraine frequency in children who have low levels of coenzyme Q-10.
23	Understanding the material 内	G. Coenzyme Q-10 seems to decrease blood pressure. <u>Taking coenzyme Q-10 along with medications for high blood pressure might cause your blood pressure to go too low.</u>	G. While most people <u>tolerate</u> coenzyme Q-10 well, it <u>can cause some mild side effects</u> including stomach upset, loss of appetite, nausea, vomiting, and diarrhea. It <u>can cause allergic skin rashes</u> in some people.
23	Understanding the material 内	H. Red yeast <u>might reduce</u> coenzyme Q-10 levels.	H. Taking a <u>combination of</u> coenzyme Q-10, berberine, policosanol, red yeast rice, folic acid and astaxanthin reduces cholesterol levels.

23	Understanding the material 内	J. Coenzyme Q-10 might lower blood pressure. <u>It can increase the effects of medications used to lower blood pressure.</u> <u>Discuss your use of coenzyme Q-10 with your healthcare provider if you have blood pressure problems.</u>	(削除)
27	Reading the text 内の図の下部	(なし)	注：音声には別の医薬品名が使われています。 (但し書きを追加)

ページ数	位置	誤	正
8	Relaxing a bit	(略)	下図のように訂正します。



Relaxing a bit

インターネットでお気に入りのレシピを探してみましょう。
ブルーベリーパンケーキのレシピです。
<https://kidshealth.org/en/parents/blueberry-pancakes.html?WT.ac=ctg#catrecipes-family>
たったの5分で作れるヘルシーなスムージー！
<https://kidshealth.org/en/teens/strawberry-smoothie.html?WT.ac=ctg>
音声読み上げが可能です！

【第9～10刷の誤り】(第11刷以降は修正済み)

ページ数	位置	誤	正
27	Reading the text の下図内	pain killers	painkillers (半角スペースを削除)
58	Learning the vocabulary 選択肢の中	to makes sure	to make sure

【第11刷の誤り】(第12刷以降は修正済み)

ページ数	位置	誤	正
42	Learning the vocabulary 選択肢の中	clinic dilute	available clinic
42	Learning the vocabulary 問題文の中	2. Do not (2) _____ this medicine with milk.	2. This medicine is commercially (2) _____ in Japan.
42	Learning the vocabulary	3. A vitamin pill should (3) _____ in about	3. This vitamin pill takes about 30 to 45

	問題文中	30 to 45 minutes for the best effect.	minutes to (3) _____ in the stomach.
44	Applying what you learned 問題文中	1. It is all right to mix Cefcapxil ~	1. You can mix Cefcapxil ~
44	Applying what you learned 問題文中	2. The medicine is not a powder, but fine granule ~	2. This medicine is not a powder but is made of fine granules that should not be crushed.
58	Learning the vocabulary 選択肢の中	make people sick	make you sick
83	Checking the terms	comply with 従う	comply 従う
83	Checking the terms	requirement 要求、要求されること	requirement 要件
93	Checking the terms	charting area カルテ記入室	charting area カルテ記入エリア

ページ数	位置	誤	正
48	Learning the vocabulary	(略)	下図のように訂正します。

名詞 Noun	動詞 Verb	Meanings	動詞の意味(日本語)
relaxation	relax	(1)	(9)
		(2)	(10)
contraction	contract	(3)	(11)
contract		(4)	(12)
		(5) e	(13)
/	allow	(6)	(14)
		(7)	(15)
		(8)	(16)